

The file `ltxdoc.dtx` for use with $\text{\LaTeX} 2_{\epsilon}$.^{*}
It contains the code for `ltxdoc.cls`

David Carlisle

2024/02/08

This file is maintained by the \LaTeX Project team.
Bug reports can be opened (category `latex`) at
<https://latex-project.org/bugs.html>.

1 Documentation of the \LaTeX sources

This class file is designed for documenting the \LaTeX source files. You may however find it generally useful as a class for typesetting the documentation of files produced in ‘doc’ format.

Each documented file in the standard distribution comes with extension `dtx`. The appropriate class package or `initex` file will be extracted from the source by the `docstrip` system. Each `dtx` file may be directly processed with $\text{\LaTeX} 2_{\epsilon}$, for example

```
latex2e docclass.dtx
```

would produce the documentation of the Class and package interface.

Each file that is used in producing the $\text{\LaTeX} 2_{\epsilon}$ format (ie not including the standard class and packages) will be printed together in one document if you \LaTeX the file `sources2e.tex`. This has the advantage that one can produce a full index of macro usage across all the source files.

If you need to customise the typesetting of any of these files, there are two options:

- You can use `DOCSTRIP` with the module ‘driver’ to extract a small \LaTeX file that you may edit to use whatever class or package options you require, before inputting the source file.
- You can create a file `ltxdoc.cfg`. This configuration file will be read whenever the `ltxdoc` class is used, and so can be used to customise the typesetting of all the source files, without having to edit lots of small driver files.

The second option is usually more convenient. Various possibilities are discussed in the next section.

^{*}This file has version number v2.1j, dated 2024/02/08.

2 Customisation

The simplest form of customisation is to pass more options to the `article` class which is loaded by `ltxdoc`. For instance if you wish all the documentation to be formatted for A4 paper, add the following line to `ltxdoc.cfg`:

```
\PassOptionsToClass{a4paper}{article}
```

All the source files are in two parts, separated by `\MaybeStop`. The first part (should) contain ‘user’ documentation. The second part is a full documented listing of the source code. The `doc` package provides the command `\OnlyDescription` which suppresses the code listings. This may also be used in the configuration file, but as the `doc` package is read later, you must delay the execution of `\OnlyDescription` until after the `doc` package has been read. The simplest way is to use `\AtBeginDocument`. Thus you could put the following in your `ltxdoc.cfg`.

```
\AtBeginDocument{\OnlyDescription}
```

If your document relies on using the old `doc` version, you can request that the class loads `doc` version 2 by passing the option `doc2`.

If the full source listing `sources2e.tex` is processed, then an index and change history are produced by default, however indexes are normally not produced for individual files.

As an example, consider `ltclass.dtx`, which contains the sources for the new class and package interface commands. With no `cfg` file, a 19 page document is produced. With the above configuration a slightly more readable document (4 pages) is produced.

Conversely, if you really want to read the source listings in detail, you will want to have an index. Again the index commands provided by the `doc` package may be used, but their execution must be delayed.

```
\AtBeginDocument{\CodeLineIndex\EnableCrossrefs}  
\AtEndDocument{\PrintIndex}
```

The `doc` package writes index files to be sorted using `MakeIndex` with the `gind` style, so one would then use a command such as

```
makeindex -s gind.ist ltclass.idx
```

and re-run \LaTeX .

Similarly to print a Change history, you would add

```
\AtBeginDocument{\RecordChanges}  
\AtEndDocument{\PrintChanges}
```

to `ltxdoc.cfg`, and use `MakeIndex` with a command such as

```
makeindex -s gglo.ist -o ltclass.gls ltclass.glo
```

Finally if you do not want to list all the sections of `source2e.tex`, you can use `\includeonly` in the `cfg` file:

```
\includeonly{ltvers,ltboxes}
```

3 Options

```
1 (*class)
2 \DeclareOption{a5paper}{\@latexerr{Option not supported}}%
3 {}
```

Prevent loading of a config file.

```
4 \newif\ifltxdoc@load@cfg@ \ltxdoc@load@cfg@true
5 \DeclareOption{nocfg}{\ltxdoc@load@cfg@false}

Support rolling back doc to version 2:
6 \let\ltxdoc@doc@version\empty % use current version by default
7 \DeclareOption{doc2}{%
8   \def\ltxdoc@doc@version{=v2}%
9   \DeclareRobustCommand\cs[1]{\texttt{\backslash #1}}%
10 }
11 \DeclareOption*{%
12   \PassOptionsToClass {\CurrentOption}{article}}
```

4 Option Processing

```
13 \ProcessOptions
```

5 Local configuration

Input a local configuration file, if it exists.

```
14 \ifltxdoc@load@cfg@
15 \InputIfFileExists{ltxdoc.cfg}
16   {\typeout{*****^J%
17             * Local config file ltxdoc.cfg used^J%
18             *****}}
19   {}
20 \else
21   \typeout{*****^J%
22             * Local config file ignored^J%
23             *****}
24 \fi
```

6 Loading article and doc

```
25 \LoadClass{article}
```

By default, load the current doc version (`\ltxdoc@doc@version` is empty). If option `doc2` is given version 2 is loaded (`\ltxdoc@doc@version` contains `=v2`).

```
26 \RequirePackage{doc}[\ltxdoc@doc@version]
```

Make `|` be a ‘short verb’ character, but not in the document preamble, where an active character may interfere with packages that are loaded.

```
27 \AtBeginDocument{\MakeShortVerb{\|}}
```

As ‘doc’ documents tend to have a lot of monospaced material, Set up some `tt` substitutions to occur silently.

```
28 \DeclareFontShape{OT1}{cmtt}{bx}{n}{<-> ssub * cmtt/m/n}{}
29 \DeclareFontFamily{OMS}{cmtt}{\skewchar\font 48} % '60
30 \DeclareFontShape{OMS}{cmtt}{m}{n}{<-> ssub * cmsy/m/n}{}
```

```

31 \DeclareFontShape{OMS}{cmtt}{bx}{n}{<-> ssub * cmsy/b/n}{}
This substitution is in the standard fd file, but not silent.
32 \DeclareFontShape{OT1}{cmss}{m}{it}{<->ssub*cmss/m/sl}{}
33 \CodelineNumbered
34 \DisableCrossrefs

```

Increase the text width slightly so that with the standard fonts 72 columns of code may appear in a macrocode environment.

```
35 \setlength{\textwidth}{355pt}
```

Increase the marginpar width slightly, for long command names. And increase the left margin by a similar amount

```

36 \addtolength{\marginparwidth}{30pt}
37 \addtolength{\oddsidemargin}{20pt}
38 \addtolength{\evensidemargin}{20pt}
39 \setcounter{StandardModuleDepth}{1}

```

7 Useful abbreviations

`\cmd{\foo}` Prints `\foo` verbatim. It may be used inside moving arguments. It can *not* be used to record commands that are defined as “`\outer`” nor is it possible to use it on conditionals such as `\iftrue` or defined by `\newif`. `\cs{foo}` Already available with the `doc` package and also prints `\foo`, for those who prefer that syntax. (This second form can be used to record all types of command so the above restrictions do not apply.)

```

\cmd
\cs 40 %\DeclareRobustCommand\cs[1]...           % defined later
     41 %\def\cmd#1{\cs{\expandafter\cmd@to@cs\string#1}} % can't use with new \cs
     42 \def\cmd#1{\texttt{\char'\'\expandafter\cmd@to@cs\string#1}}
     43 \def\cmd@to@cs#1#2{\char\number'#2\relax}

\marg \marg{text} prints {<text>}, ‘mandatory argument’.
     44 \providecommand\marg[1]{%
     45   {\ttfamily\char'\{\meta{#1}\ttfamily\char'\}}

\oarg \oarg{text} prints [<text>], ‘optional argument’.
     46 \providecommand\oarg[1]{%
     47   {\ttfamily[]\meta{#1}\ttfamily}}

\parg \parg{te,xt} prints (<te,xt>), ‘picture mode argument’.
     48 \providecommand\parg[1]{%
     49   {\ttfamily()\meta{#1}\ttfamily}}

```

8 Old Comments

The $\text{\LaTeX} 2_{\epsilon}$ sources contain a lot of code inherited from $\text{\LaTeX} 2.09$. The comments in this code were not designed to be typeset, and do not contain the necessary \LaTeX markup. The `oldcomments` environment typesets these comments, automatically sensing when any control sequence appears, and implicitly adding the `\verb`. This procedure does not produce particularly beautiful pages, but it

allows us to fully document new sections, and have some form of typeset comments on all the old code.

Scan control names and put them in tt. Will actually (incorrectly) scan past \\ but this does not matter as this is almost never followed by a letter in practice. (ie \\foo) would put foo in \ttfamily.

```

50 \def\oc@scan#1{%
51   \ifx\oc@bslash#1%
52     \egroup\let\next\oc@bslash\else
53   \ifcat a\noexpand#1%
54     #1\let\next\oc@scan\else
55   \ifx\oc@percent#1%
56     \def\next{\char'\%\egroup}%
57   \else
58     #1\let\next\egroup
59   \fi\fi\fi\next}

60 \def\oc@bslash{\bgroup\oc@ttf\char'\'\oc@scan}%

61 \def\oc@verb#1{%
62   \catcode'#1\active
63   \uccode'\~'#1%
64   \uppercase{\def~{\oc@ttf\char'#1}}

65 \begingroup
66   \obeyspaces%
67   \catcode'\/= \catcode'\
68   /catcode'/\ /active
69   /catcode'<= /catcode' {%
70   /catcode'>= /catcode' }%
71   /catcode'/{ /active%
72   /catcode'}/ /active%
73   /gdef/oldc< \end{oldcomments}>%
74   /gdef/begmac< \begin{macrocode}>%
75   /gdef/obs</def <</oc@ttf/ >>%
76 /endgroup%

77 \begingroup
78   \catcode'\/= \catcode'\
79   \catcode'\=13
80   /catcode' /|= /catcode' /%
81   /catcode' /%=13
82   /gdef/oldcomments{|
83     /makeatletter
84     /let/do/oc@verb/dospecials
85     /frenchspacing/@vobeyspaces/obs
86     /raggedright
87     /oc@verb/>|
88     /oc@verb/<|
89     /let\ /oc@bslash
90     /let%/oc@percent
91     /obeylines
92     /parindent/z@
93     /ttfamily/expandafter/let/expandafter/oc@ttf/the/font
94     /rmfamily
95     /textit{Historical /LaTeX/,2.09 comments (not necessarily accurate any more):}
96     /hfuzz/maxdimen

```

```

97     }
98 /endgroup

99 \begingroup
100  \sloppy%
101  \obeylines%
102  \gdef\oc@percent#1^~M{%
103    \ifvmode%
104      \def\commentline{#1}%
105      \ifx\commentline\oldc%
106        \textit{End of historical \LaTeX\,2.09 comments.}
107        \end{oldcomments}%
108      \else%
109        \ifx\commentline\begmac%
110          \begin{macrocode}%
111        \else%
112          \leavevmode%
113          #1^~M%
114          \fi\fi%
115        \else%
116          {\oc@ttf\char'\%}#1^~M%
117          \fi}%
118 \endgroup%

```

9 DocInclude

```
119 \@addtoreset{CodelineNo}{part}
```

`\DocInclude` More or less exactly the same as `\include`, but uses `\DocInput` on a dtx file, not `\input` on a tex file.

```

120 \def\partname{File}

121 \newcommand*{\DocInclude}[1]{%
122   \relax
123   \clearpage
124   \docincludeaux
125   \IfFileExists{#1.fdd}%
126     {\def\currentfile{#1.fdd}}%
127     {\def\currentfile{#1.dtx}}%
128   \ifnum\@auxout=\@partaux
129     \@latexerr{\string\include\space cannot be nested}\@eha
130   \else
131     \set@curr@file{#1}%
132     \edef\@curr@file{\@strip@tex@ext\@curr@file}%
133     \expandafter\@docinclude\expandafter{\@curr@file}
134   \fi}
135 \def\@docinclude#1 {\clearpage

136 \if@filesw \immediate\write\@mainaux{\string\@input{#1.aux}}\fi
137 \@tempswatruel\if@partsw \@tempswafalse\edef\@tempb{#1}\@for
138 \@tempa:=\@partlist\do{\ifx\@tempa\@tempb\@tempswatruel\fi}\fi
139 \if@tempswa \let\@auxout\@partaux \if@filesw
140 \immediate\openout\@partaux "#1.aux"
141 \immediate\write\@partaux{\relax}\fi
142 \@filehook@set@CurrentFile

```

We need to save (and later restore) various index-related commands which might be changed by the included file.

```

143 \let\@ltxdoc@PrintIndex\PrintIndex
144 \let\PrintIndex\relax
145 \let\@ltxdoc@PrintChanges\PrintChanges
146 \let\PrintChanges\relax
147 \let\@ltxdoc@theglossary\theglossary
148 \let\@ltxdoc@endtheglossary\endtheglossary
149 \part{\currentfile}%
150 {\let\ttfamily\relax
151 \xdef\filekey{\filekey, \thepart={\ttfamily\currentfile}}}%
152 \DocInput{\currentfile}%
153 \let\PrintIndex\@ltxdoc@PrintIndex
154 \let\PrintChanges\@ltxdoc@PrintChanges
155 \let\theglossary\@ltxdoc@theglossary
156 \let\endtheglossary\@ltxdoc@endtheglossary
157 \clearpage
158 \@writeckpt{#1}\if@filesw \immediate\closeout\@partaux \fi
159 \else\@nameuse{cp@#1}\fi\let\@auxout\@mainaux}

160 \gdef\codeline@wrindex#1{\if@filesw

```

Set `\protect` to a suitable value in the index entries (we can't use `\set@display@protect` as that would result in different number of spaces after a command depending on the number of expansion happening prior to writing the index).

```

161     \begingroup
162     \let\protect\noexpand
163     \immediate\write\@indexfile
164         {\string\indexentry{#1}%
165         {\filesep\number\c@CodelineNo}}%
166     \endgroup\fi}

167 \let\filesep\@empty

```

`\aalph` Special form of `\alph` as currently `source2e.tex` includes more than 26 files .

```

168 \def\aalph#1{\@aalph{\csname c@#1\endcsname}}
169 \def\@aalph#1{%
170   \ifcase#1\or a\or b\or c\or d\or e\or f\or g\or h\or i\or
171     j\or k\or l\or m\or n\or o\or p\or q\or r\or s\or
172     t\or u\or v\or w\or x\or y\or z\or A\or B\or C\or
173     D\or E\or F\or G\or H\or I\or J\or K\or L\or M\or
174     N\or O\or P\or Q\or R\or S\or T\or U\or V\or W\or
175     X\or Y\or Z\else\@ctrerr\fi}

```

`\docincludeaux`

```

176 \def\docincludeaux{%
177   \def\thepart{\aalph{part}}\def\filesep{\thepart-}%
178   \let\filekey\@gobble
179   \g@addto@macro\index@prologue{%
180     \gdef\@oddfoot{\parbox[t]{\textwidth}{\strut\footnotesize
181       \raggedright{\bfseries File Key:} \filekey}}%
182     \let\@evenfoot\@oddfoot}%
183   \global\let\docincludeaux\relax
184   \gdef\@oddfoot{%

```

```

185 \expandafter\ifx\csname ver@\currentfile\endcsname\relax
186   File \thepart: {\ttfamily\currentfile} %
187 \else
188   \GetFileInfo{\currentfile}%
189   File \thepart: {\ttfamily\filename} %
190   Date: \filedate\ %
191   Version \fileversion
192   \fi
193   \hfill\thepage}%
194 \let\@evenfoot\@oddfoot}%

```

`\MaintainedByLaTeXTeam` Generate boilerplate reference to bug database.

```

195 \def\MaintainedBy#1{\gdef\@maintainedby{#1}}
196 \let\@maintainedby\@empty
197 \def\MaintainedByLaTeXTeam#1{%
198 \gdef\@maintainedby{%
199 This file is maintained by the \LaTeX{} Project team.\\%
200 Bug reports can be opened (category \texttt{#1}) at\\%
201 \url{https://latex-project.org/bugs.html}.}}
202 \def\@maketitle{%
203   \newpage
204   \null
205   \vskip 2em%
206   \begin{center}%
207     \let \footnote \thanks
208     {\LARGE \@title \par}%
209     \vskip 1.5em%
210     {\large
211       \lineskip .5em%
212       \begin{tabular}[t]{c}%
213         \@author
214       \end{tabular}\par}%
215     \vskip 1em%
216     {\large \@date}%
217     \ifx\@maintainedby\@empty
218     \else
219     \vskip 1em%
220     \fbox{\fbox{\begin{tabular}{@{}l{}}\@maintainedby\end{tabular}}}%
221     \fi
222   \end{center}%
223   \par
224   \vskip 1.5em}
225 \def\task#1#2{}

```

Some features from l3doc.cls Eventually, `\cs` should get the definition from l3doc but for now we revert to the simple one from doc.

```

226 %\DeclareRobustCommand\cs[1]{\texttt{\backslash #1}}%           -- def in doc.sty
227 \AtBeginDocument{%
228 % \renewcommand\PrintMacroName[1]{\MacroFont\string #1\ }%     -- def in doc.sty

```

We provide those delated in case somebody has loaded `csquotes` or makes some definitions in the preamble.


```

229 \providecommand\LuaTeX{Lua\TeX}
230 \providecommand\cls{\textsf}
231 \providecommand\pkg{\textsf}
232 \providecommand\enquote[1]{‘#1’}
233 \providecommand\url{\texttt}
234 }
235 </class>

```

10 Configuration file

```

236 <{*cfg}
237 %
238 % This is the ltxdoc configuration file we use to format the LaTeX
239 % kernel sources.
240 %
241 %
242 % Copyright 2006, 2007, 2011
243 % Heiko Oberdiek
244 % Copyright (C) 2014-2024
245 % The LaTeX Project
246 %
247
248 \ProvidesFile{ltxdoc.cfg}%
249 [2022/06/14 v2.0d ltxdoc.cls configuration (LaTeX Project)]
250 \PassOptionsToClass{a4paper}{article}
251
252 % hyperref and hypdoc are now loaded late (or by the user) so we have to wait
253 % with any adjustments until that has happened
254
255 \AddToHook{package/hyperref/after}{%
256 %% \RequirePackage{hypdoc}%           % this is now triggered by doc
257 \RequirePackage{pdftexcmds}\relax
258 \ifnum\pdf@strcmp{\jobname}{inputenc}=0 %
259 \hypersetup{pdfencoding=auto}%
260 \pdfstringdefDisableCommands{%
261 \def\meta#1{% inputenc.dtx
262 \9060\010#1\9060\011%
263 }%
264 }%
265 \else
266 \fi
267 \pdfstringdefDisableCommands{%
268 \let\env\relax % longtable.dtx
269 \let\mytt\relax % tabularx.dtx
270 }%
271 }
272
273 % This should work well for documentation of packages outside the
274 % LaTeX kernel, but if not, you can prevent the loading with the
275 % option "nocfg", i.e.,
276 %
277 % \documentclass[nocfg]{ltxdoc}
278 %

```

```
279 % or by providing your own config file
280
281 \endinput
282 </cfg>
```